INDEX.

Page.

Abbott, Dr. W. L., mammals collected by, from islands off Sumatra 437
Acanthagrion gracile 489
Acondylacanthus occidentalis 261
Acreotrichites 376
scopulicornis 376
Acreotrichus atratus 377
gibbicornis 377
Acrydium (Tettix) arenosum angustum 207
Aeolothrips brodiei 381
Aeshna californica 594, 596, 598, 600
constricta 622
interrupta 581
interna 581, 622
nevadensis 581, 610, 612, 613, 614, 615, 634
multicolor 582, 594, 596, 599, 600, 601, 602, 603, 605, 607, 608, 610, 618, 622, 623, 625, 626, 627, 629, 630
palmata 582, 595, 610, 612, 613, 616, 617, 620, 622, 625
walkeri 516, 517, 574, 587, 588, 595, 632
Agathis exoratus 321
haematodes 338, 341
liberator 326
mesabilis 338, 341
media 321
semirubra 326
vulgaris 321
Agrion aequabile 484
californicum 484
exclamationis 480
Allolobophora (Bimastus) constricta 176
gieseleri 171
palustris 169
parva 173
tumida 170
caliginosa 166
chlorotica 167
constricta 176
gieseleri 171
longa 167
lonnbergi 164
mucosa 165
ninnii 162
norvegica 176
octaedra 168
parva 173
riparia 167
rosea 165
subrubicunda 168
forma hortensis. 166
tenuis 176
terrestris 167
tumida 170
turgida 166
Allurus hercynius 162

Page.

Allurus neapolitanus 162
ninnii 162
pupa 163
tetraedrus 161
Alvania acutilirata 679
sequisculpta 679
bartolomensis 677
compacta 679
cosmia 679
dimora 678
kyskaensis 677
Amblycorypha floridana carinata 202, 225
oblongifolia 225
occidentalis 201, 202, 209
uhleri 202, 225
Ameiurus catus 293
primaevus 293
Ammophila arenaria 218
Amphiagrion saucium abbreviatum 609, 612, 617, 630, 633
Amyzon brevipinne 292
Anatis resurgens 463, 465
Anax junius 582, 584, 594, 596, 599, 603, 607, 610, 612, 622, 625, 626, 627, 629, 633
Anaxipha exigua 202, 234
Anisodonta(?) pellucida 411
Annelid, polychaetous, a new species of, from Panama 427
Anomalagrion hastatum 496
Anthomyia atavella 381
persepulta 380
Anthreptes malacensis baweanus 196
malacensis 196, 197
Anuraea aculeata 475
cochlearis 475
Anurogryllus muticus 202, 233
Apis rostrata 75
Apithes agitator 234
Archaeobatis gigas 258
Archilestes californica 593, 596
Arctictis niasensis 443, 458
Ardea sumatrana 184
Argia agrioides 596, 603, 607, 630
emma 597, 601, 603
vivida 516, 562, 587, 596, 597, 598, 603, 608, 613, 614, 630, 631, 633
Arphia sulphurea 201, 212
xanthoptera 202, 213
Aspidorhynchus acutirostris 285
tenuirostris 286
Asplanchna brightwellii 477
priodonta 477
Asplanchnopus multiceps 477
Asterolepis ornata 238
Astraspis desiderata 238
Atlanticus americanus 202, 233
davisi 201, 233

	Page.
Atlanticus testaceus	232
Baris matura	472
primalis	463, 471
Bartsch, Paul. Descriptions of new West American marine mollusks and notes on previously described forms	637
Bawean Island, Java Sea, birds of	183
Beetles, fossil, new species of, from Florissant, Colorado	463
Bellinota scutellaris	467
Belonorhynchus gracilis	281
gigas	281
Belonostomus tenuirostris	286
Bembeces aberantes	117
Bembex amoena	88
argentifrons	119
belfragei	92, 95
carolina	20
ciliata	119
cinerea	84
connexa	115
crassonis	92
fasciata	96
insignis	92
longirostra	5
monodonta	119
obsoleta	105
occidentalis	106
primaestate	101
pruinosa	104
sayi	90, 96
similans	103
spinolae	98
texana	111
vespiformis	18
Bembicine wasps of America north of Mexico, a revision of the	1
Bembidula burmeister	62
capnoptera	72
var. mesillensis	73
fodiens	60
insidiatrix	71
melliloti	64
mesillensis	73
parata	64
pictifrons	134
quadrifasciata	65
variegata	65, 67
ventralis	59
viduata	60
Bembix amoena	88
arcuata	81
belfragei	92, 131, 132
beutenmulleri	86, 105
cameroni	99
cinerea	84
comata	100
connexa	115
foxi	96
helianthopolis	113
hinei	86
latifrons	116
melanaspis	109
nubilipennis	87, 130
occidentalis	106
primaestate	101
pruinosa	104
Bembix rostrata	125, 126
rugosa	95
sayi	90
similans	103
spinolae	125, 127, 128, 129, 130, 139
stenobdoma	94
texana	111
troglodytes	108
u-scripta	83
Bembyx cameroni	99
obsoleta	105
Bibio gurnetensis	375
obligocenus	375
wickhami	374
Bicyrtes annulata	67
burmeisteri	62
capnoptera	72
fodiens	60
gracilis	68
insidiatrix	71
mesillensis	73
parata	64
quadrifasciata	65, 134
servillii	59, 62
ventralis	62, 132
viduata	60
Bimastos palustris	189
Birds of Bawean Island, Java Sea	183
Bittium bartolemensis	672
chalibae	673
longissimum	676
pabloensis	676
sanjuanensis	674
santamariensis	674
serra	675
trampasensis	676
washingtoniana	676
Bizura lobata	479, 482
Bothriolepis coloradensis	240
nitida	240
Brachionus angularis	474
caudatus	474
calyciflorus	474
capsuliflorus	474
militaris	475
mulleri	475
pala	474
patulus	474
plicatilis	475
urceolaris	475
variabilis	475
Brachypodius baweanus	192
Brachyspathus curiosus	463, 466
Bracon, monograph of the Nearctic hymenoptera of the genus	305
ashmeadi	329
californicus	331
comstocki	323
hematodes	338
kelloggii	327
melanoptera	336
minutator	307
montrealensis	326
nigrosternum	332
slossonae	315
sreepigetii	334
virginiensis	341

Page.

Bracon vulgaris 308, 321
Brechmorhoga mendax 605, 627
Bruchus antaeus 463, 469
bowditchi 469
Buteridæ javanicus javanicus 184
virescens 184
California, central, and Nevada, notes on the life history and echology of the dragonflies of. 483
Callidium æreum 469
grandævum 463, 469
Calyptogena elongata 408
Camnula pellucida 201, 215
Camptonotus carolinensis 233
Campylostoma matutiforme 390
pierrense 389
Carcharopsis wortheni 256
Cardiomya balbosa 407
Cardium dulcinea 412
Cathypna curvicornis 476
hornemanni 476
Catopterus gracilis 280
Ceisemura 495
denticollis 496, 500, 594, 596, 599, 600, 601, 602, 603, 622, 624, 627, 629, 631
gemina 497, 594, 596
Cephalodella catellina 474
forficula 474
Ceraspis carinata 242
Ceratura caprecia 496
Ceriodaphnia longispina 475
Cerithiopsis bolingerensis 672
(Cerithiopsis) bakeri 670
charlottensis 668
dumblei 671
grippi 669
helena 670
dumblei 671
oregonensis 672
orovillensis 671
turneri 672
Cervulus moschatus 458
Cetoconcha malespinae 407
Ceyx rufidorsus innominatus 184
Chalcophaps indica 184
Cheirodus orbicularis 276
Cheirolepis canadensis 273
Chiropodomys niadis 458
Chlealtis conspersa 201, 203, 212
Chorthippus curtipennis 201, 212
Chortophaga viridifasciata 201, 214
Cinnyris ornata ornata 197
ornatus 197
Cladodus aculeatus 255
compressus 256
spinosus 254
striatus 256
Clinocephalus elegans 202, 211
Coccinella sodoma 466
Cochliodus occidentalis 260
Cockerell, T. D. A. New Tertiary insects 373
Coelacanthus elegans 271
exiguus 271
ornatus 271
Coenagrion resolutum 609, 613, 615
Collotheca cornuta 477
coronetta 477

Page.

Collotheca ornata 477
Columba tigrina 188
Colurella obtusa 476
uncinata 477
Conocephalus brevipennis 201, 202, 231
fasciatus 201, 230
nemoralis 231
nigropleuroides 202, 232
saltans 202, 232
spartinae 202, 232
stictomerus 202, 232
strictus 202, 231
Copeus pachyurus 474
Corbula kelseyi 416
porcella 415
Cordulegaster annulatus 515
diadema 518
dorsalis 515, 516, 574, 576, 594, 595, 597, 599, 608, 610, 631, 632
maculatus 521
Cordulia shurtleffi 615, 634
Coryphodon simus 432
Crabs, cretaceous, new species of, from South Dakota 385
Cratacanthus dubius 464
florissantensis 463, 464
Cremnops haematodes 338, 341
melanoptera 336
semirubra 326
vulgaris 321
Crenella columbiana 395
rotundata 406
Cryptocercus punctulatus 206
Ctenacanthus acutus 262
angulatus 262
burlingtonensis 262
canaliratus 262
costatus 262
coxianus 262
cylindricus 262
decussatus 261, 262
deflexus 262
depressus 262
excavatus 262
gemmatus 262
gracilimus 261
gradocostatus 262
gurleyi 262
harrisoni 262
keokuk 262
littoni 262
longinodosus 261, 262
lucasi 261, 262
pellensis 262
sculptus 262
semicostatus 262
similis 262
solidus 261, 262
spectabilis 261, 262
varians 262
venustus 261, 262
xiphias 262
Ctenodus serratus 248
Cuculus canorus telephonus 188
telephonus 188
Cuspidaria apodema 407
obesa 407

Page.

Cynopterus babi 438, 457
brachyotis 439, 459, 460
major 458
minutus 458
princeps 3, 458
scherzeri 438
titthaecheilus 458
Dacrydium pacificum 405
Dakota, South, new species of cretaceous crabs from 385
Dakoticancer 385
overana 386
Dall, William Healey. Diagnoses of new species of marine bivalve mollusks from the northwest coast of America in the collection of the United States National Museum 393
Dapendoglossus testis 288
Daphnia longispina 475
Deltodus occidentalis 260
Dendrobaena boeckii 169
Dendrotettix australis 220
Dermatomya beringiana 406
buttoni 406
leonina 406
Diaschiza auriculata 474
forficata 474
gibba 474
globata 474
gracilis 474
hoodii 474
tenuior 474
Dicaeum flammeum 198
Dichromorpha viridis 202, 203, 211
Dicranophorus forcipatus 474
Dicrenodus texanus 256
Diglena catellina 474
Dinichthys 248
missouriensis 248
terrelli 248
tuberculatus 249
Dinocharis collinsii 477
pocillum 477
tetractis 477
Diosphyrus vulgaris 321
Dipeacaster anoplus 367
Dipterus angustus 247
digitatus 246
mordax 246
pectinatus 246
Dissosteira carolina 201, 217
Distyla spinifera 477
Diurella brachyura 477
tenuior 477
tigris 477
weberi 477
Doru aculeatum 202, 206
Dragonflies of central California and Nevada, notes on the life history and ecology of the. 483
Drepanacanthus gemmatus 263
Duck, male ruddy, on certain secondary sexual characters in the, Erismatura jamaicensis (Gmelin) 479
Earthworms, North American, of the family Lumbricidae in the collections of the United States National Museum 157
Eastman, Charles R. Fossil fishes in the collection of the United States National Museum 235

Page.

Edestus heinrichi 260
Eisenia carolinensis 164
foetida 165
lönnbergi 164
rosea 165
veneta, var. hortensis 166
Eisenietta tetraedra 161
hercynia 162
neapolitana 162
nivuli 163
pupa 163
Elonichthys hypsilepis 274
peltigerus 274
hypsilepis 274
perpennatus 275
Emballonura monticola 457, 458, 459, 460
Enallagma anna 616, 621
calverti 594, 609, 612, 621, 633
carunculatum 594, 596, 597, 599, 600, 601, 602, 603, 605, 606, 608, 609, 610, 612, 618, 619, 620, 622, 623, 624, 625, 627, 629, 631
civile 489
clausum 619, 622
cyathigerum .. 562, 594, 596, 597, 599, 600, 603, 605, 608, 612, 613, 615, 629, 630, 633
praevarum 594, 596, 597
Encentrum felis 474
Encoptolophus sordidus 201, 215
Enterion caliginosum 166
castaneum 179
fetidum 165
herculeum 180
octaedrum 168
roseum 165
terrestre 167
tetraedrum 161
Eosphora najas 474
Epimys fremens fremens 451
Epiphanes senta 474
Erismacanthus formosus 265
maccoyanus 265
Erismatura jamaicensis (Gmelin) on certain secondary sexual characters in the male ruddy duck 479
australis 482
ferruginea 482
jamaicensis 479
leucocephala 482
vittata 482
Eritettix simplex 200
Erpetogomphus compositus ... 603, 618, 620, 624, 626
Erycina bakeri 409
balliana 409
catalinae 409
chacei 409
coronata 409
santarosae 410
Ervilia californica 414
Erythemis simplicollis 595, 597, 600, 601, 602, 604, 607, 623, 624, 626, 625, 631
Euchlanis deflexa 475
dilatata 475
lyra 475
plicata 475
pyriformis 475
triquetra 475
Eudynamys honorata 184

Page.

Eulimella dilleri 639, 640
gabbiana 639
ochsneri 639
Eunice (Leodice) dubia 427
siciliensis 427
Exoprosopa fascipennis 141
Filinia longiseta 477
Fisher, Walter K. Trophodiscus, a new sea star from Kamchatka 367
Fishes, fossil, in the collection of the United States National Museum 235
Florissant, Colorado, new species of fossil beetles from 463
Floscularia coronetta 477
cornuta 477
ornata 477
ringens 477
Fossil beetles from Florissant, Colorado, new species of 463
Fossil fishes in the collection of the United States National Museum 235
Fox, Henry. Field notes on Virginia orthoptera 199
Fregata minor minor 185
Galeopterus saturatus 459
tuanus 457
Gallus varius 187
Garmannia spongicola 423
Garter snake inhabiting the San Francisco Peninsula, the variation exhibited by Thamnophis ordinoides 345
Geopelia striata 184
Gepyrura concentrica 290
Gidley, James Williams. Notice of a new Paleocene mammal, a possible relative of the Titanotheres 431
Glycymeris corteziana 402
migueliana 402
Goby, a new, Garmannia spongicola, from North Carolina 423
Gomphus donneri 562, 574
intricatus 550, 554, 570, 622, 624
olivaceus 554, 606, 625, 630
nevadensis 570, 622, 623, 624
var. nevadensis 557
solitarius 541, 558, 562, 572, 594, 596, 599, 603, 605
Gracula javensis baweana 195
javensis 195
Gryllus assimilis 233
Halcyon sanctus 189
senegalensis 189
Harpacanthus fimbriatus 266
procumbens 266
Harpalus maceratus 465
redivivus 463, 465
ulomaeformis 463, 464
Helodrilus 161
(Allolobophora) caliginosus 166
f. typica 166
f. trapezoides 166
chloroticus 167
longus 167
beddardi 173, 174
(Bimastus) beddardi 173
constrictus 176

Page.

Helodrilus (Bimastus) gieselери forma typica. 171
var. hempeli. 172
longicinctus 174
palustris 169
parvus 173
tenuis 176
tumidus 170
zeteki 175
caliginosus trapezoides 167
castaneus 180
constrictus 176, 177
(Dendrobaena) octaedrus 168
rubidus, var. subrubicunda 168
subrubicundus 168
(Eisenia) carolinensis 164
fusiformis 165
lombergi 164
rosea 165
venetus, var. hortensis 166
(Eiseniella) tetraedrus, forma hercynia 162
tetraedrus, forma, typica 161
gieselери 172
hempeli 171, 172
typica 172
longicinctus 174
longus 167
norvegicus 177
octaedrus 168
palustris 169
parvus 173, 174
subrubicundus 169
tenuis 176, 177, 178
tetraedrus 163, 171
forma hercynia 161, 163
neapolitana 162
rinnii 162
typica 161
tumidus 171, 172
venetus hortensis 166
welchi 174, 175
zeteki 175, 176, 178
Hemigalus minor 460
Heriades priscus 393
Hetaerina americana 596, 597, 601, 603, 604, 606, 607, 627, 629
Heteracanthus politus 245
uddeni 245
Hippiscus rugosus 202, 203, 216
Hipposideros larvatus 458
sp 458, 459, 460
Holonema rugosa 240
Homolopsis depressa 389
edwardsii 389
japonica 389
punctata 388
richardsoni 389
transiens 389
Homorocoryphus malivolans 227
Hymenoptera, Nearctic, monograph of the, of the genus Bracon 305
Hyponeura lugens 598, 605, 630
Ichneumon deserter 307
Insects, Tertiary, new 373
Ischnoptera, species 308

Pages.

Ischnura cervula ... 595, 594, 596, 599, 600, 601, 605, 608, 610, 612, 617, 618, 619, 620, 622, 623, 625, 627, 629, 630, 633
demorsa ... 622
denticollis ... 496
erratica ... 594, 632
perparva ... 595, 594, 596, 599, 600, 601, 602, 603, 605, 606, 608, 610, 612, 620, 627, 630, 631
pumilio ... 496
Ischypterus elegans ... 282
modestus ... 282
Java Sea, birds of Bawean Island ... 183
Kamchatka, Trophodiscus, a new sea star from ... 367
Kennedy, Clarence Hamilton. Notes on the life history and ecology of the dragonflies (Odonata) of central California and Nevada. 433
Keratella cochlearis ... 475
quadrata ... 475
Kerivoula angana ... 400
Lanthus albistylus ... 581
Lariscus obscurus ... 460
rostratus ... 459
Lecane arcula ... 475
sepasia ... 476
curvicornis ... 476
hornemanni ... 476
luna ... 476
Leda amiata ... 395
commutata ... 396
constellata ... 395
fiscona ... 397
fossa ... 396
gomphoidea ... 396
hamata ... 397
liogona ... 396
navisa ... 395
oxia ... 395
phenaxia ... 397
radiata ... 396
spargana ... 397
Leo rhionis ... 445
Leodice caribœa ... 427
dubia ... 427
Lepadella acuminata ... 476
patella ... 476
rhomboides ... 476
triptera ... 477
Lepidotus walcotti ... 283
Leptychaster anomalus ... 367, 371
arcticus ... 371
kerguelenensis ... 370
pacificus ... 371
propinquus ... 367, 371
Leptysma marginicollis ... 202, 218
Lestes congener ... 593, 601, 604, 606, 609, 611, 613, 615, 616, 617, 620, 621, 630
disjunctus ... 593, 609, 611, 615, 633
species ... 598
stultus ... 485, 594, 602, 632
unguiculatus ... 594, 621
Leuciscus turneri ... 292
Leucorrhina glacialis ... 611, 613, 616, 617, 635
Libellula comanche ... 603
composita ... 632

Pages.

Libellula forensis ... 595, 600, 601, 602, 604, 607, 617, 620, 622, 630
nodisticta ... 604, 608, 623, 630
pulchella ... 595, 604, 606, 610, 612, 618, 621, 623, 626, 630, 634
quadrimaculata ... 610, 613, 614, 615, 616, 634
saturata ... 595, 597, 600, 601, 602, 604, 605, 607, 608, 620, 627, 628, 630, 631, 634
Limatula attenuata ... 404
Limopsis akutanica ... 403
skenia ... 402
Lithophaga attenuata ... 405
Lophocharis oxysternon ... 477
Los Angeles, California, rutatoria of, with description of a new species ... 473
Lumbricidae, North American earthworms of the family, in the collections of the United States National Museum ... 157
Lumbricus agricola ... 180
americanus ... 180
castaneus ... 179
festivus ... 180
herculeus ... 180
purpureus ... 179
riparius ... 167
rubellus ... 179
terrestris ... 180
var. lacteus ... 178
trapezoides ... 106
Lyon, Marcus Ward, jr. Mammals collected by Dr. W. L. Abbott on the chain of islands lying off the western coast of Sumatra, with descriptions of twenty-eight new species and subspecies ... 437
Macacus cynomolgus ... 452
fuscus ... 453
Macoma brota ... 413
var. lipara ... 414
carlottensis ... 414
inflatula ... 414
inquinata ... 414
quadrana ... 414
truncaria ... 414
Macrochaetus collinsii ... 477
Macroglossus minimus minimus ... 458
Macromia magnifica ... 597, 599, 603, 605, 608, 622, 623, 626, 629
Macrophya pervetusta ... 383
Mactrella clisia ... 415
exoleta ... 415
Malachius immurus ... 463, 468
Malacocincla abbotti baweana ... 194
buttikoferi ... 194
Malletia (Minormalletia) talauna ... 400
(Nelio) flora ... 400
Mammal, a new Paleocene, a possible relative of the Titanotheres ... 431
Mammals collected by Dr. W. L. Abbott from islands off Sumatra, with descriptions of twenty-eight new species and subspecies ... 437
Manis javanica ... 458, 460
Megadermas lalse ... 439, 440, 457
ninsense ... 440, 441, 456
siumatis ... 439, 440, 457
spasma ... 439
trifolium ... 439, 440, 441
Melanella gabbiana ... 639

Page.

Melanoplus atlantis 202, 203, 213, 214, 221
bivittatus 201, 202, 208, 223
femoratus 223
celatus 201, 203, 220
confusus 201, 202, 208, 223
devius 201, 221
femur-rubrum 201, 202, 214, 222
gracilis 201, 221
keeleri 202, 223
luridus 201, 202, 223
scudderi 202, 220
walshii 201, 221
Meliceria ringens 477
Meliera atavina 379
obscuricornis 379
ochricornis 379
Mermiria intertexta 208
Merrill, George P. A new find of meteoric stones near Plainview, Hale County, Texas. 419
Mesomyites concinnus 377
Meteorites, a new find of, from Plainview, Hale County, Texas 419
Metopidia oxysternon 477
Microbembex aurata 121
hirsuta 122
monodonta 119, 134, 141
Microcentrum laurifolium 226
retinerve 226
Microtarsus atriceps abbotti 193
atriceps 193
chrysophorus 194
hyperemnus 194
baweanus 192
chalcocephalus 192
baweanus 192
Milneria kelseyi 408
Miodontiscus meridionalis 408
prolongatus 408
Miogryllus verticalis 233
Mioplosus labracoides 294
Modiolus (Politus) var, pallidulus 404
Mollusks, new species of marine bivalve, from the northwest coast of America in the collection of the United States National Museum 393
West American marine, descriptions of new 637
Monedula carolina 20
denverensis 25
emarginata 38
exigua 50
femorata 53
formosa 21, 27
inermis 25
mamillata 38, 45
melampous 43
minutula 40
nigrifrons 119
obliqua 12
parata 64
pictifrons 25
plana 32
pulchella 40
pulla 52
quadrifasciata 65, 67
salleí 65

Page.

Monedula scitula 46
serrata 31
signata 18
speciosa 37, 41
tenuicornis 36
unifata 32, 52
ventralis 62, 71
villosa 45
Mongoma cruciferella 373
fragillima 374
niveitarsis 374
pallida 374
Monostyla bicornis 476
bulla 476
closterocerca 476
cornuta 476
hamata 476
lunaris 475
quadridentata 476
stenroosi 476
Morrison, Harold. Monograph of the Nearctic hymenoptera of the genus Bracon Fabricius. 305
Motacilla flammea 198
Munia punctulata nisoria 184
Mus fremens 450
lingensis 449
Musculus laevigatus 405
niger, var. obesus 405
protractus 405
olivaceus 405
Mycterops orcinatus 270
Myers, Frank J. Rotatoria of Los Angeles, California, and vicinity, with descriptions of a new species 473
Mylostoma 250
terrelli 251
variabile 250
Myonera tillamookensis 407
Myotis abbotti 441, 442, 460
muricola 441, 442
nisensis 441, 442
Mytilina mucronata 475
ventralis 475
Nemobius fasciatus 233
maculatus 234
Neoconocephalus ensiger 201, 226
exilis canorus 202, 226
lyristes 202, 226
melanorhinus 202, 226
palustris 202, 227
retusus 202, 227
robustus 202, 227
crepitans 227
triops 202, 227
Neotettix femoratus 207
Nevada and central California, notes on the life history and ecology of the dragonflies of. 483
Nomonyx dominicus 482
North Carolina, a new goby, Garmannia spongicola, from 423
Notagogus decoratus 287
inimontis 287
minutus 287
Noteus quadricornis 475
Notholca striata 475
Notogoneus osculus 289

Page.

Notommata cerberus ... 474
pachyura ... 474
tripus ... 474
Nucula cardara ... 394
darella ... 394
linki ... 394
petriola ... 395
quirica ... 394
Oberholser, Harry C., The birds of Bawean Island, Java Sea ... 183
Oecophylla atavina ... 382
Octogomphus specularis ... 516, 574, 594, 595, 598, 599, 605, 608, 630, 632
Octolasium lacteum ... 178
Odonata of central California and Nevada, notes on the life history and ecology of the ... 483
Odostomia (Chrysallida) santamariensis ... 664
taravali ... 663
(Evalea) andersoni ... 667
franciscana ... 665
orfordensis ... 667
pleioregona ... 666
stephensi ... 667
valensi ... 667
valeroi ... 665
willetti ... 666
(Odostomia) orcutti ... 667
stephensi ... 667
Oecanthus angustipennis ... 234
latipennis ... 234
nigricornis ... 234
quadripunctatus ... 234
Oocistes crystallinus ... 477
mucicola ... 477
umbella ... 477
velatus ... 477
Oidemia fusca ... 482
nigra ... 479, 482
Ophiogomphus arizonicus ... 538
bison ... 525, 540, 547, 595, 598, 603, 605, 631, 632
morrisoni ... 530, 534, 535, 548, 562, 612, 614, 617, 633
nevadensis ... 536, 549, 618, 620, 622, 633
occidentis ... 541, 542, 547
californicus ... 543, 547, 601, 603, 606, 608
severus ... 531, 548
montanus ... 530, 533
Ops glaberrima ... 380
Oracanthus milleri ... 268
rectus ... 268
triangularis ... 268
vetustus ... 267, 268
Orchelimum agile ... 202, 228
concinnum ... 202, 230
fidicinium ... 202, 230
glaberrimum ... 202, 228
laticauda ... 202, 229
minor ... 202, 229
superbum ... 202, 230
vulgare ... 229
Orocharis saltator ... 202, 234
Orphulella olivacea ... 202, 210
pelinda ... 202, 210, 213
speciosa ... 210

Page.

Orthoptera, field notes on Virginia ... 199
Orthotomus cinereaceus ... 184
Pachydiplax longipennis ... 595, 602, 604, 628, 630, 631, 638
Palaeaspis americana ... 239
bitruncata ... 239
elliptica ... 239
Palaeoniscus antiquus ... 273
reticulatus ... 273
Palaeophichthys parvulus ... 272
Panama, a new species of polychaetous annelid from, with notes on an Hawaiian form ... 427
Pandeleteinus nudus ... 468, 470
submetallicus ... 471
Panomya arctica, var. turgida ... 416
beringiana ... 416
Pantala hymenea ... 628
Paradoxurus hermaphroditus ... 442
enganus ... 442
parvus ... 442, 443, 457
lignicolor ... 460
Parafundulus nevadensis ... 291
Pardalophora apiculata ... 201, 202, 208, 215
phoenicoptera ... 202, 208, 215
Parker, John Bernard. A revision of the Bembicine wasps of America north of Mexico ... 1
Paroxya clavuliger ... 202, 203, 224
Pedalia mira ... 477
Pedalion mirum ... 477
Peleconus minor ... 185
Peltacanthus (?) occidentalis ... 261
Petaurista batuana batuana ... 459
Phasianus varius ... 187
Pholadidea sagitta ... 417
Phyllodoce panamensis ... 428
Physonemus acinaciformis ... 263
anceps ... 263
arcuatus ... 263, 264
asper ... 263
baculiformis ... 263
gemmatus ... 263
gigas ... 263
hamus-piscatorius ... 263
mirabilis ... 263
necis ... 263
pandatus ... 263
stellatus ... 263
Pipistrellus macrotis ... 460
Pithecus agnatus ... 458
fascicularis ... 452, 459
fuscus fuscus ... 457
lasiae ... 453, 457
mansalaris ... 452, 458
pagensis ... 460
phaeura ... 458
Plainview, Hale County, Texas, a new find of meteoric stones near ... 419
Plathemis lydia ... 595, 597, 600, 601, 602, 604, 607, 608, 610, 626, 628, 630, 634
subornata ... 623, 632
Platyias quadricornis ... 475
Platynus inaculptipennis ... 463
tartareus ... 464
Platysomus circularis ... 276
lacovianus ... 276
orbicularis ... 276
palmaris ... 276

Page.

Plecia explanata ... 376
fulvicollis ... 375
winchesteri ... 375
woodruffi ... 375
Pleurotrocha daphnicola ... 473, 478
petromyzon ... 474
sigmoidea ... 478
Plioplarchus septemspinosus ... 295
sexspinosus ... 295
whitei ... 295
Ploecus manyar ... 184
Podabrus cupesoides ... 463, 467
Polyarthra platyptera ... 477
trigla ... 477
Polycnemidium pustulosum ... 387
Polyrhizodus concavus ... 257
grandis ... 257
Priacocara cypha ... 296
dartonae ... 296
liops ... 296
oxyprion ... 296
pealei ... 296
serrata ... 296
testudinaria ... 296
Proales daphnicola ... 474, 478
decipiens ... 474
Progomphus borealis ... 524, 527, 596, 605, 630
obscurus ... 525, 527
Prolepidotus gallineki ... 279
Protocardia paziana ... 412
Protoscinis ... 380
perparvus ... 380
Prototheca staminea, var. spatiosa ... 413
Psammodus glyptus ... 258
plenus ... 258
springeri ... 258
Psammosteus ... 241
imperfectus ... 242
paradoxus ... 241, 242
taylori ... 239, 241
Psephidia brunnea ... 413
Psephodus legrandensis ... 259
Pseudamusium bistriatum ... 404
incongruum ... 403
Pseudopythina myaciformis ... 412
Psinidia fenestralis ... 202, 217
Pteria viridisona ... 403
Pterodina patina ... 477
Pteropus hypomelanus enganus ... 460
modigliani ... 460
nudicus ... 458
vampyrus malaccensis ... 460
Ptilocercus lowii continentis ... 459
Ptygura crystallina ... 477
longipes ... 477
mucicola ... 477
velata ... 477
Pycnonotus plumosus ... 191
plumosus ... 191
Pygathrix batuana ... 459
potenziani ... 460
Pyramidella (Longchaeus) cooperi ... 637
masatlanica ... 639
packi ... 638
(Pharcidella) magdalenensis ... 638
(Syrnola) dilleri ... 640
ochsneri ... 639
Radcliffe, Lewis. Description of a new goby Garmannia spongicola, from North Carolina ... 423

Page.

Rathbun, Mary J. New species of South Dakota cretaceous crabs ... 385
Rattulus longiseta ... 477
scipio ... 477
Rattus balmasus ... 447, 448, 459
barussanus ... 458
batus ... 458, 459
catellifer ... 458
concolor concolor ... 458
domitor ... 458
enganus ... 460
firmus ... 448
fremens fremens ... 452
mansalaris ... 450, 452, 458
tuancus ... 452, 458
lingensis ... 449, 450
antucus ... 449, 458
banacus ... 449, 457, 459
mabalus ... 449, 459
pinacus ... 450
lugens ... 460
maerens ... 458
mane balae ... 459
mane ... 459
neglectus ... 460
pagensis ... 460
pinatus ... 448, 459
potens ... 458
simalurensis babi ... 447
simalurensis ... 446, 457
soccatus ... 460
valens ... 457
vociferans tapanulius ... 451
Ratufa balae balae ... 459
mane ... 459
piniensis ... 459
nigrescens ... 458
palliata ... 445
batuana ... 445, 446, 459
lenata ... 446, 458
Rhadinichthys deani ... 273
gracilis ... 274
Rhamphomyia hypolitha ... 378
sepulta ... 378
Rhinolophus calypso ... 460
circe ... 458
trifoliatus ninsensis ... 458
Rhinosciurus incultus ... 444, 445, 458
laticaudatus ... 444
leo ... 444
peracer ... 444
rhionis ... 444
robinsoni ... 444
tupaioides ... 444
Riphidia brodiei ... 373
Riscina dalli ... 679
histia ... 679
kelseyi ... 679
nereina ... 679
Rochefortia beringensis ... 411
ferruginosa ... 411
golischi ... 411
grebnitzkii ... 411
Rotatoria of Los Angeles, California, and vicinity, with descriptions of a new species ... 473
Rusa equina ... 458, 460
Sagenodus angustus ... 247
Salpina mucronata ... 475
ventralis ... 475

Page.

Sandalodus occidentalis ... 200
San Francisco Peninsula, the variation exhibited by Thamnophis ordinoides, a garter snake inhabiting the ... 345
Sauripterus taylori ... 252
Sauropatis chloris cyanescens ... 180
Saxicavella pacifica ... 416
Saxidomus giganteus ... 413
Scaridium longicaudum ... 477
Schistocerca alutacea ... 202, 219
damnifica ... 202, 219
obscura ... 202, 220
serialis ... 202, 218
Sciuropterus macrens ... 460
Sciurus atratus ... 460
baiae ... 459
ictericus ... 459
mansalaris ... 444
bancarus ... 444, 457
batus ... 443, 459
mansalaris ... 458
piniensis ... 459
pretiosus ... 457
pumilus ... 460
saturatus ... 458
ubericolor ... 457
Scudderia cuneata ... 202, 225
curvicauda ... 225
furcata ... 225
pistillata ... 201, 224
texensis ... 224
Sea star, Trophodiscus, a new, from Kamchatka ... 367
Seminotus carpensis ... 279
elegans ... 282
Septifer bifurcatus var. obsoletus ... 404
Simias concolor ... 460
Sisyra(?) disrupta ... 381
vicaria ... 381
Smith, Frank. North American earthworms of the family Lumbricidae in the collections of the United States National Museum ... 157
Somatochlora semicircularis ... 614, 615, 634
Spharagemon bolli ... 201, 216
collare wyomingianum ... 217
saxatile ... 201, 203
planum ... 216
Sphenia trunculus ... 415
pholadidea ... 415
Spilopelia tigrina ... 188
Spiornis basus bassus ... 185
baweanus ... 185
Spondylis tertiarius ... 463, 469
Squatinella mutica ... 477
Stagmomantis carolina ... 202, 207
Steniolia albicantia ... 12
duplicata ... 10
edwardsii ... 10
nigripes ... 8
obliqua ... 12
scolopacea ... 10
sulfurea ... 9
tibialis ... 14
Stephanops muticus ... 477
Stictia carolina ... 20
signata ... 18

Page.

Stictiella bituberculata ... 36
callista ... 34
divergens ... 55
emarginata ... 38
exigua ... 50
femorata ... 53
formosa ... 27
megacera ... 49
melampous ... 43
melanosterna ... 30
pictifrons ... 25
plana ... 32
pulchella ... 40
pulla ... 51, 52
scitula ... 46
serrata ... 31
speciosa ... 41
tenuicornis ... 47
villosa ... 45
Strix baweana ... 190
orientalis ... 191
orientalis ... 191
seloputo ... 190
sinensis ... 191
Sumatra, mammals collected by Dr. W. L. Abbott from islands off ... 437
Sus babi ... 433, 454
babi ... 454, 457
enganus ... 454, 460
tuancus ... 453, 454, 458
mimus ... 457
niadensis ... 458
vittatus ... 452
Sympetrum cordulegaster ... 521
corruptum ... 595, 597, 600, 601, 602, 604, 607, 613, 615, 617, 618, 620, 621, 623, 626, 628, 630, 631, 634
costiferum ... 617, 623
eroticum ... 521
frequens ... 521
illotum ... 595, 597, 600, 601, 602, 604, 608, 626, 628, 630
madidum ... 595, 621
matutinum ... 521
obtrusum ... 610, 615, 616
pallipes ... 607, 610, 613, 614, 615, 617, 618, 621, 623, 635
rubicundulum decisum ... 617, 621, 634
scoticum ... 610, 613, 614, 617, 635
semicinctum ... 607, 609, 618, 623, 624, 626, 638
Symphalangus klossi ... 460
Synchaeta oblonga ... 477
pectinata ... 477
stylata ... 477
tremula ... 477
Syrbula admirabilis ... 202, 208
Systropus foenoides ... 376
Tachopteryx ... 506
hageni ... 507, 508
pryeri ... 507, 508
thoreyi ... 508, 513
Taeniurites ... 382
fortis ... 383
Tana cervicalis cervicalis ... 459
masae ... 459

Page.

Tana tana tuancus ... 457
Tanypteryx ... 507
hageni ... 508
pryeri ... 511
Taphrosampa annulosa ... 474
Telebasis salva ... 502, 594, 602, 608, 627, 631
Tellina edentula ... 413
lata ... 413
Testudinella patina ... 477
Tetragoneuria canis ... 590
spinigera ... 612
Tetragonurus pupa ... 163
Tettigidea lateralis ... 207
Thalassornis insularis ... 482
leucomatus ... 482
Thamnophis ordinoides, a garter snake inhabiting the San Francisco peninsula, the variation exhibited by ... 345
ordinoides ... 365, 366
parietalis ... 365
Thompson, Joseph C. The variation exhibited by Thamnophis ordinoides (Baird and Girard), a garter snake inhabiting the San Francisco peninsula ... 345
Thyasira cygnus ... 409
tricarinata ... 409
Thyestes verrucosus ... 238
Tinderia brunnea ... 401
californica ... 400
cervola ... 402
dicofania ... 401
martiniana ... 401
ritteri ... 401
Tipula gardneri ... 374
Titanoides ... 431
primaevus ... 431, 433, 435
Titanotheres, notice of a new Paleocene mammal, a possible relative of the ... 431
Tragulus amoenus ... 458
batuanus ... 459
brevipes ... 457
jugularis ... 458
napu ... 455
napu ... 455
niasis ... 455, 456
pinius ... 455, 459
russulus ... 455, 456, 457, 458
masae ... 456, 457, 459
russulus ... 459
Tramea lacerata ... 595, 604, 607, 631
Treadwell, Aaron L. A new species of polychaetous annelid from Panama, with notes on an Hawaiian form ... 427
Triarthra longiseta ... 477
Trichocerca longiseta ... 477
scipio ... 477
Tricophanes foliarum ... 294
Trichotria pocillum ... 477
tetractis ... 477
Trigoniocardia oxdoxia ... 412
Trimerotropis citrina ... 202, 217
maritima ... 202, 218
Trophodiscus, a new sea star from Kamchatka ... 367
almus ... 367, 368
Truxalis brevicornis ... 202, 207

Page.

Tupaia chrysogaster ... 460
tephrura ... 459
Turbonilla (Cingulina) urdaneta ... 660
(Mormula) sebastiani ... 661
viscainoi ... 663
(Pyrgisculus) guilleni ... 648
(Pyrgiscus) almejasensis ... 652
auricoma ... 653
baegerti ... 658
bartolomensis ... 653
cabrillol ... 659
corsoensis ... 657
cortesi ... 656
dora ... 649
eva ... 651
ina ... 649
ista ... 650
lamna ... 653
lazaroensis ... 655
mariana ... 654, 655
tecnico ... 656
ulloa ... 659
(Pyrgolampros) franciscana ... 645
hannibali ... 645
hemphilli ... 646
lituyana ... 645
oregonensis ... 645
pugetensis ... 647
tremperi ... 647
(Strioturbonilla) barkleyensis ... 641
canadensis ... 640
doredona ... 642
humerosa ... 644
montezuma ... 640
panamensis ... 645
redondoensis ... 643
santamariana ... 642
schmitti ... 644
serrae ... 642
(Ugartes) juani ... 662
Tychius evolatus ... 471
ferox ... 463, 471
Uracis ovipositrix ... 521
Urortalis ... 378
caudatus ... 379
Vespa signata ... 15
Virginia, field notes on orthoptera in ... 199
Vrilletta monstrosa ... 463, 468
murrayi ... 468
plumbea ... 468
Vulsella pacifica ... 403
Wasps, Bembicine, of America north of Mexico, a revision of the ... 1
Wetmore, Alexander. On certain secondary sexual characters in the male ruddy duck, Erismatura jamaicensis (Gmelin) ... 479
Wickham, H. F. New species of fossil beetles from Florissant, Colorado ... 468
Wolga spinifera ... 477
Yoldia beringiana ... 399
capes ... 400
cecinella ... 399
oleacina ... 398
orcia ... 399
sanesia ... 399
secunda ... 398
thraciaeformis ... 398
Zoniagrion ... 495
exclamationis ... 594, 596, 597, 601, 605, 632

OCT 8 1918